

Course No: DMED 1209
Course Title: Skills Of First Aid
Date: 17/01/2018
No. of Questions: (3)
Time: 2 hours
Using Calculator (No)

University of Palestine



final Exam
1st Semester 2017/2018
Total Grade:50

Instructor Name: D. Saed Hassouna
Student No.: _____
Student Name: _____
College Name: _____
Dep. / Specialist: _____
Using Dictionary (No)

Question One:

Choose the correct answer:

1- The most common site of fracture in old age :

- a- Vertebrae
- b- Femurs neck
- c- Clavicle
- d- Wrist

2- The green stick fracture is common in :

- a- Old age
- b- Children
- c- Women
- d- Adults

3- The most common complications which lead to death in fracture femur is :

- a- Cardiac arrest
- b- Pulmonary embolism
- c- Peptic ulcer
- d- Allergic shock

4- Administration of penicillin in allergic patient may lead to :

- a- Cardiogenic shock
- b- Cerebral coma
- c- Anaphylactic shock
- d- Renal coma

5- The indications of CPR include the following except :

- a- Cardiac arrest
- b- Pulmonary failure
- c- Necrosis of the body
- d- Closed air way

6- The psychic trauma lead to :

- a- Hypovolemic shock
- b- Neurogenic shock
- c- Cardiogenic shock
- d- Non of the above

7- The loss of consciousness for period less than 2 minutes :

- a- Shock
- b- Coma
- c- Fainting
- d- All of the above

Course No: DMED 1209
Course Title: Skills Of First Aid
Date: 17/01/2018
No. of Questions: (3)
Time: 2 hours
Using Calculator (No)

University of Palestine



final Exam
1st Semester 2017/2018
Total Grade:50

Instructor Name: D. Saed Hassouna
Student No.: _____
Student Name: _____
College Name: _____
Dep. / Specialist: _____
Using Dictionary (No)

8- The cerebral embolism may lead to :

- a- Coma
- b- Poisoning
- c- Shock
- d- Non of the above

9- Hypovolemic shock resulting as a complication of severe diarrhea due to loss of :

- a- Blood
- b- Plasma
- c- Na + H₂O
- d- Red blood cells

10-Exposure to sun in hot weather may lead to :

- a- Shock
- b- Coma
- c- Fracture
- d- Fainting

11-The most painful fracture from the following :

- a- Spiral
- b- Comminuted
- c- Oblique
- d- Non of the above

12-The most dangerous fracture from the following is :

- a- Transverse
- b- Comminuted
- c- Compound
- d- Oblique

13-The most important point in first aid of fracture :

- a- Direct pressure
- b- Elevation of the organ
- c- Fixation in its place
- d- All of the above

14-The fracture may be in the following long bones except :

- a- Radius
- b- Ulna
- c- Carpal & metacarpal
- d- Femur

Course No: DMED 1209
Course Title: Skills Of First Aid
Date: 17/01/2018
No. of Questions: (3)
Time: 2 hours
Using Calculator (No)

University of Palestine



final Exam
1st Semester 2017/2018
Total Grade:50

Instructor Name: D. Saed Hassouna
Student No.: _____
Student Name: _____
College Name: _____
Dep. / Specialist: _____
Using Dictionary (No)

15-Parasthesia in case of severe fracture indicate affection of :

- a- Nervous system
- b- Skeletal system
- c- Muscular system
- d- Non of the above

16-The bleeding resulting from trauma with acute instrument is of :

- a- Chemical origin
- b- Mechanical origin
- c- Pathological origin
- d- Physical origin

17-All of the following are sites for measuring pulse except :

- a- Coronary
- b- Femoral
- c- Popleteal
- d- Carotid

18-The mild form of bleeding which stop in short period :

- a- Arterial
- b- Venous
- c- Capillary
- d- All of the above

19-Cold water or ice packs shall be placed for first aid in case of :

- a- The rupture wound
- b- External bleeding
- c- Bruising and hematoma
- d- Penetrating wound

20-Putting the thermometer to measure the temperature through the anus for about :

- a- 1-3 minutes
- b- 3-5 minutes
- c- 5-10 minutes
- d- Not from the above

