

Course No: MUL 4323
Course Title: Interactive
Multimedia Development 2
Date:
Time: 1hour

University of Palestine



Midterm Exam
2nd semester 2011/2012
Total Grade: 20

Instructor Name: IyadAlAgha
Student No.: _____
Student Name: _____
College Name: _____
Dep. / Specialist: _____
Open book exam

Question 1: Choose the correct answer from the following:

1. PHP server scripts are surrounded by delimiters, which?
 - `<?php...?>`
 - `<&...&>`
 - `<?php>...</?>`
 - `<script>...</script>`
2. When using the POST method, variables are displayed in the URL:
 - True
 - False
3. What is the correct way to connect to a MySQL database?
 - `mysql_open("localhost");`
 - `mysql_connect("localhost");`
 - `dbopen("localhost");`
 - `connect_mysql("localhost");`
4. To receive a form field 'title' sent using a POST method we use..
 - `$_GET['title'];`
 - `$_REQUEST['title']`
 - `$_POST('title');`
 - All of the above are correct
5. What is the correct syntax is used to send the variable \$var to the page named index.php via a hyperlink?
 - `print "Link";`
 - `print "Link";`
 - `print "Link";`
 - `print "Link";`

6. To create and initialize an array in PHP, which of the following is correct?
- \$list[] = new \$List[5];
 - \$list = array(1,2,3);
 - \$list = new array[1,2,3];
 - All of the above are correct.
7. To access an array's values, which of the following is correct?
- ```
foreach ($array as $value) {
 // Do whatever.
}
```
  - ```
for ($n = 0; $n < count($array);$n++) {
    print $array[$n];
}
```
 - ```
$i = 0;
while($i< count($var)){
 print $var[$i] . "
";
 $i++;
}
```
  - All of the above are correct
8. To print a variable \$var followed by a new line we use the following:
- print \$var;
  - print \$var . "\n";
  - print \$var . "<BR>";
  - nl2br(\$var);
9. If the values stored in two variables \$x, \$y are 5 and 6 respectively. The two variables were added and the result was stored in a third variable \$z. What is the output of the following print operation: print('\$x + \$y = ' . \$z) ?
- \$x + \$y = 11
  - \$x + \$y = \$z
  - 5 + 6 = 11
  - 5 + 6 = \$z
10. Which of the following is used to select the database named 'studentDB'?
- mysql\_select\_db("studentDB");
  - mysql\_query("studentDB");
  - mysql\_query("select \* from studentDB");
  - mysql\_fetch\_array("studentDB");

**Question 2: Explain the action performed by each of the following PHP functions:**

**phpinfo();**

-----  
-----  
-----

**mysql\_real\_escape\_string(\$str);**

-----  
-----  
-----

**is\_numeric(\$var);**

-----  
-----  
-----

**mysql\_fetch\_array(\$query\_result);**

-----  
-----  
-----

**strip\_tags(\$str);**

-----  
-----  
-----